EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|---|---|---------------------|---------|---------------------|
| S1 | 10 | US-5423015-\$.DID. OR US- 5644784-\$.DID. OR US- 59036861-\$.DID. OR US- 6061351-\$.DID. OR US- 5727126-\$.DID. OR US- 5794033-\$.DID. | US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/05 15:28 |
| S2 | 2 | "20040215843" did. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/05 16:06 |
| S3 | 2 | "6816918".did. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/20 21:36 |
| S4 | 6 | US-6407960-\$.DID. OR US- 5727207-\$.DID. OR US- 6792848-\$.DID. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/05 16:14 |
| S5 | 6 | US-6407960-\$.DID. OR US- 5727207-\$.DID. OR US- 6292848-\$.DID. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/05 16:37 |
| S6 | 10215 | (710/8-14.cdls. or 713/1,2,100. cdls. or 709/220-222.cdls.) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/05 16:48 |
| S7 | 17 | S6 and determin\$4 with (configur\$5 reconfigur\$5 updat \$4 upgrad\$4) with (inteface spi lic i1c pci) with (memory) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/05 17:28 |
| S8 | 110 | determin\$4 with (configur\$5 reconfigur\$5 updat\$4 upgrad \$4) with (inteface spi lic i1c pci) with (memory) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/05 16:56 |
| S9 | 89 | S8 and (@ad<="20020410" or @rlad<="20020410") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/05 17:29 |

| S10 | 173 | S6 and (configur\$5 reconfigur \$5 updat\$4 upgrad\$4) with (inteface spi iic i1c pci) with (memory) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/05 17:28 |
|-----|-------|---|---|----|----|---------------------|
| S11 | 130 | S10 and (@ad<="20020410" or @rlad<="20020410") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/06 06:07 |
| S12 | 9463 | (configur\$5 reconfigur\$5 updat \$4 upgrad\$4) with (network near3 (switch router hub bridge)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/06 06:07 |
| S13 | 22 | (configur\$5 reconfigur\$5 updat \$4 upgrad\$4) with (network near3 (switch router hub bridge)) with (inteface spi iic i1c pci) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/06 06:07 |
| S14 | 17 | S13 and (@ad<="20020410" or @rlad<="20020410") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/06 06:22 |
| S15 | 20288 | (header preamble start) with (number) with (reqister value parameter) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/06 06:22 |
| S16 | 209 | S12 and S15 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/06 06:19 |
| S17 | 160 | S16 and (@ad<="20020410" or @rlad<="20020410") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/06 06:19 |
| S18 | 44 | eeprom with (header preamble start) with (number) with (reqister value parameter) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/06 06:22 |
| S19 | 41 | S18 and (@ad<="20020410" or @rlad<="20020410") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/06 06:22 |

| 820 | 13 | ("5423015" "5644784" "5699350" "5727126" "5794033" "5909686" "5938764" "6061551" "6199192" "6292707" "6349904" "6480235" "6553489").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/01/06 06:27 |
|-------------|-------|---|--|----|----|---------------------|
| S21 | 2 | "6407960" pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/12 08:13 |
| \$22 | 2 | "5727207".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/20 21:36 |
| S23 | 120 | determin\$4 with (configur\$5 reconfigur\$5 updat\$4 upgrad \$4) with (inteface spi iic i1c pc) with (memory) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/03/28 14:22 |
| S24 | 92 | S23 and (@ad<="20020410" or @rlad<="20020410") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/03/28 14:22 |
| S2 5 | 12170 | (710/8-14.cds. or 713/1,2,100. cds. or 709/220-222.cds.) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/03/28 14:23 |
| S26 | 210 | \$25 and (configur\$5 reconfigur \$5 updat\$4 upgrad\$4) with (inteface spi iic i1c pci) with (memory) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/03/28 14:23 |
| S27 | 134 | \$26 and (@ad<="20020410" or @rlad<="20020410") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/03/28 14:23 |
| S28 | 1452 | (header preamble) with (updat \$4 upgrad\$4) with (register parameter value configuration) | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2008/03/28 14:31 |
| S29 | 119 | (determin\$4) with (header preamble) with (updat\$4 upgrad\$4) with (register parameter value configuration) | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM TDB | OR | ON | 2008/03/28 14:32 |

| S30 | 58 | S29 and (@ad<="20020410" or @rlad<="20020410") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/03/28 14:32 |
|-----|-------|--|--|----|----|---------------------|
| S31 | 15 | (((determin\$4) with (header preamble) with (updat\$4 upgrad\$4) with (register parameter value configuration)). dm. | US-PGPUB | OR | ON | 2008/03/28 15:13 |
| S32 | 8 | (determin\$4 with (configur\$5 reconfigur\$5 updat\$4 upgrad \$4) with (inteface spi iic i1c pci) with (memory)).clm. | US-PGPUB | OR | ON | 2008/03/28 15:14 |
| S33 | 2 | "6738833".pn. | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2008/03/28 15:42 |
| S34 | 18 | ("5699350" "5727207" "5781796" "5938761" "6292707" "6292848" "6349304" "6480235" "6553489").PN. | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2008/06/04 23:23 |
| S35 | 15126 | (switch router peripheral hub) with (reconfigur\$4 configur\$5 parameter) with (memory eeprom) | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2008/07/21 22:11 |
| S36 | 2994 | (switch router peripheral hub) with (reconfigur\$4 configur\$5 parameter) with (memory eeprom) with (external interface) | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2008/07/21 22:12 |
| S37 | 263 | (switch router peripheral hub) with (reconfigur\$4 configur\$5 parameter) with (register) with (memory eeprom) with (external interface) | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2008/07/21 22:12 |
| S38 | 166 | S37 and (@ad<="20020410" or @rlad<="20020410") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/21 22:12 |
| S39 | 2 | "20040215843".did. | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2008/07/22 08:48 |
| S40 | 5942 | (header prefix preamble) with (configur\$5 reconfigure updat \$4) with (value parameter register number) | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2008/07/22 13:13 |

| S41 | 683 | (determin\$4 calculat\$4) with (header prefix preamble) with (configur\$5 reconfigure updat \$4) with (value parameter register number) | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2008/07/22 13:14 |
|-----|-----|---|--|----|----|---------------------|
| S42 | 226 | S41 and ((header prefix preamble) with (memory eeprom rom)) | US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB | OR | ON | 2008/07/22 13:15 |
| S43 | 132 | S42 and (@ad<= "20020410" or @rlad<= "20020410") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/07/22 13:19 |

^{7/23/2008 1:18:42} PM

C:\ Documents and Settings\ ESorrell\ My Documents\ EAST\ Workspaces\ 10805233.wsp